CLAIMS:

1. A cross-linkable compound containing one or more fluorendiyl groups of the formula:

where R, independently each occurrence, is an inert substituent, a monovalent crosslink forming group, X, or a polyvalent crosslink forming group, X', with the proviso that in at least one repeat unit per molecule, at least one R is X or X'.

- 2. A compound according to claim 1 wherein R in at least one occurrence is a moiety containing a double bond, a triple bond, a precursor capable of in situ formation of a double bond, or a heterocyclic, addition polymerizable group.
- 3. A compound according to claim 1 wherein R in at least one occurrence is selected from the group consisting of benzocyclobutanyl groups and substituted C_{6-12} arylene groups containing one or more substituents selected from the group consisting of benzocyclobutane, azide, oxirane, di(hydrocarbyl)amino, cyanate ester, hydroxy, glycidyl ether, C_{1-4} alkylacrylate, C_{1-4} alkylmethacrylate, alkenyl, alkenyloxy, alkynyl, maleimide, nadimide, tri(C_{1-4})-alkylsiloxy, tri(C_{1-4})alkylsilyl, and halogenated derivatives thereof.
- 4. A compound according to claim 1 wherein R in at least one occurrence is benzo-3,4-cyclobutan-1-yl or p-vinylbenzyl.
- 5. A cross-linkable composition comprising oligomers or polymers having empirical formula Ia:

$$\begin{bmatrix} & & & \\ &$$

20

25

5

10

15

where R, independently each occurrence, is an inert substituent, a monovalent crosslink forming group, X, or a polyvalent crosslink forming group, X', with the proviso that in at least one repeat unit per molecule, at least one R is X or X';

Z is a divalent remnant of a comonomer or a monovalent chain terminating group; and x is a number from 1 to 10,000 and z is a number from 0 to 10,000 signifying the average number of repeat units in the composition.

5

6. A composition according to claim 5 wherein Z each occurrence is halo, cyano, triflate, azide, $-B(OR^1)_2$, or $-B < O > R^2$.

wherein R^1 , independently in each occurrence, is hydrogen or a C_{1-10} alkyl group, and R^2 , independently each occurrence, is a C_{2-10} alkylene group.

7. A crosslinkable oligomer or polymer of the formula:

$$Z''$$
 Z'' Z'' Z'' Z'' Z''

where R, x and z are as previously defined in claim 1 or 5;

Z" is a monovalent chain terminating group; and

Z' is independently each occurrence selected from the group consisting of monomers of the formula:

where R^1 , independently each occurrence, is an inert substituent, X or X', R^5 is C_{1-10} alkyl, aryl or aralkyl; and n is 1 or 2.

8. A compound according to claim 7 having the structure:

5

10

15

where R, x and z are as previously defined in claim 5 and Z" is as defined in claim 7.

9. A cross-linked polymer corresponding to formula:

$$z''-z'-z''$$
 R'
 $Z''-z''$
, wherein

R' independently each occurrence is R or a crosslinked derivative of X or X' with the proviso, that in at least one occurrence, R' is a crosslinked derivative of X or X',

X, X', R, and x are as previously defined in claim 1, and

Z', Z" and z are as defined in claim 7.

10. A process for preparing oligomers or polymers of claim 7, which process comprises heating one or more compounds containing one or more fluorendiyl groups of the formula:

$$\begin{array}{c|c} \hline \\ \hline \\ R \\ \hline \end{array}$$
 (I)

where R, independently each occurrence, is an inert substituent, a monovalent crosslink forming group, X, or a polyvalent crosslink forming group, X', with the proviso that in at least one repeat unit per molecule, at least one R is X or X' or a composition comprising the same, optionally in the presence of a noninterfering compound, under reaction conditions sufficient to form an oligomer or polymer of Claim 7.

- 11. A film comprising one or more of the oligomers or polymers according to any one of claims 7 to 9 or preparable according to claim 10.
- 12. An electronic device comprising one or more layers of polymer films, at least one of which comprises a film according to claim 11.